



ENDERMOLOGIE®

TOGETHER, LET'S CREATE
A NEW MEDICAL AESTHETIC APPROACH



**INNER POWER.
BETTER LIFE.**



ENDERMOLOGIE®
BASED ON MECHANOBIOLOGY



NATURAL AND EFFECTIVE TREATMENTS FOR AESTHETIC MEDICINE & SURGERY

Since **1986**, the French LPG® GROUP has developed **medical devices** dedicated to the treatment of **body contouring and facial rejuvenation**.

endermologie® is a non-aggressive **patented technique** based on Mechanobiology. **High-tech mechanical stimuli** performed on the skin surface are transformed into cellular signals to trigger **biological responses** from within.

Endogenous collagen, elastin and hyaluronic acid production is **boosted**, venolymphatic flow is **reactivated** and the lipolysis is **stimulated**.

This mechanical stimulation technique is used in addition to aesthetic medicine & surgery procedures to optimise and maintain natural results and skin quality.

- LPG® PATENTED TECHNOLOGIES
- EVIDENCE-BASED:
150+ SCIENTIFIC STUDIES
30+ ON MEDLINE
- SAFE: NO COMPLICATIONS
REPORTED TO DATE


- ISO 9001 AND 13485
CMDCAS CERTIFICATION
- FDA CLEARED*
- NO PAIN
- NO SIDE EFFECTS

*INDICATIONS : PAIN, CELLULITE AND LYMPHEDEMA


THE INTERNATIONAL SCIENTIFIC COMMITTEE OF RESEARCH

Cosire guarantees the effectiveness and safety of LPG® technologies. Founded in 1999 and is made up of renowned experts, COSIRE regularly performs biomedical studies using cutting-edge techniques to evaluate results (DNA chips, biopsies, microdialysis, electron microscopy...).

<https://www.lpgmedical.com/en/studies/studies-cosire/>



ENDERMOLOGIE® TARGETS CELLS TO TRIGGER BIOLOGICAL RESPONSES



FIBROBLAST

PRODUCTION OF COLLAGEN, ELASTIN AND HA



ENDOTHELIAL CELL

ACTIVATION OF VENOUS AND LYMPHATIC FLOW




ADIPOCYTE

LIPID MOBILISATION



ENDERMOLOGIE® EFFECT ON CUTANEOUS TISSUE

DERMO-EPIDERMAL JUNCTION





NON TREATED SIDE WITHOUT ENDERMOLOGIE®



TREATED SIDE WITH ENDERMOLOGIE®

DERMO-HYPODERMAL JUNCTION



BEFORE

AFTER 16 SESSIONS WITH ENDERMOLOGIE®

ENDERMOLOGIE® IS A **NATURAL TECHNIQUE**,
USED IN ADDITION TO MEDICAL AESTHETIC
& AESTHETIC SURGERY PROCEDURES TO
RELAUNCH CELLULAR ACTIVITY

BEFORE AND AFTER ANY OTHER PROCEDURE

COMBINED
PRE-CO-MA-RE

1

PREPARE
2 TO 4 SESSIONS
2 WEEKS BEFORE
TO LIMIT SIDE EFFECT RISKS

2


COMBINE
5 TO 8 MINUTE TREATMENT
THE D-DAY
TO OPTIMISE AESTHETIC RESULTS

3

MAINTAIN & IMPROVE
2 WEEKS AFTER REGULAR
SESSIONS (NO MODERATION)
**TO REINFORCE SKIN
ARCHITECTURE AND QUALITY**


4

REPAIR
ASAP
**TO TREAT POTENTIAL
SIDE EFFECTS**
(oedema, fibrosis, hematoma, scars...)




*The technique can be used before, during
and/or after any procedure*


HYALURONIC ACID PRODUCTION INCREASE




FIRMNESS IMPROVEMENT



SKIN COMPLEXION HOMOGENEITY IMPROVEMENT



RADIANCE IMPROVEMENT




- SMOOTH WRINKLES AND FINE LINES
- DRAIN TOXINS
- STIMULATE ENDOGENOUS COLLAGEN, ELASTIN AND HYALURONIC ACID SYNTHESIS

- RELEASE DOUBLE CHIN FAT
- BOOST VASCULARISATION
- REDUCE EYE BAGS & DARK CIRCLES
- REDESIGN FACIAL OVAL


FACE INDICATIONS

COMBINATIONS WITH ENDERMOLOGIE®



COMBINED PROCEDURES EXAMPLES

ENDERMOLOGIE®
+ FILLERS



BEFORE **HA INJECTION + LPG® (5 SESSIONS)**

COURTESY:
DR BELIN, FRANCE


ENDERMOLOGIE®
+ RADIOFREQUENCY



BEFORE **3 RF SESSIONS + LPG® (1 SESSION)**

COURTESY:
DR BELIN, FRANCE

ENDERMOLOGIE® + PEELING
(MILKPEEL, DERMACEUTICS)



BEFORE **PEELING + LPG® (8 SESSIONS)**

COURTESY:
DR HERAUD BARDIN,
MARTIGUES


ENDERMOLOGIE®
+ LIPOSUCTION




BEFORE **POST SURGERY + LPG® (10 SESSIONS)**

COURTESY:
DR MAJANI, ITALIA

LIPOLYSIS IMPROVEMENT




CELLULITE ASPECT IMPROVEMENT (INFRARED THERMOGRAPHY)




ENDERMOLOGIE® SMOOTHING EFFECT

SMOOTHING EFFECT ON BUTTOCKS (PRIMOS® LITE)




BEFORE




AFTER

SMOOTHING EFFECT ON THIGHS (PRIMOS® LITE)



BEFORE




AFTER

- RELEASE LOCALISED AND RESISTANT FAT
- DRAIN TISSUES
- SMOOTH CELLULITE
- REDENSIFY SKIN
- RESCULPT VOLUMES

BODY INDICATIONS

COMBINATIONS WITH ENDERMOLOGIE®



COMBINED PROCEDURES EXAMPLES

ENDERMOLOGIE® + LIPOSUCTION FINAL RESULT OPTIMISATION



POST LIPOSUCTION
BEFORE LPG®

POST LIPOSUCTION
+ LPG® (8 SESSIONS)

COURTESY:
CARLA PULETTI



BEFORE LIPOSUCTION
BEFORE LPG®

POST LIPOSUCTION
+ LPG® (10 SESSIONS)

COURTESY:
DR. HURWITZ,
PITTSBURGH

ENDERMOLOGIE® + CRYOLIPOLYSIS FINAL RESULT OPTIMISATION



BEFORE CRYOLIPOLYSIS
BEFORE LPG®

CRYOLIPOLYSIS
+ LPG® (8 SESSIONS)

COURTESY:
LACLINIC MONTREUX, SWITZERLAND

2 months after the treatment, fat reduction was 68% more on the massage treated side than on the non treated area. 4 months after the first treatment, fat reduction was 44% greater on the massage. (controlled by ultrasound. Pr gerald e boey], Jennifer I wasilenchuk – vancouver 2014).

After stopping the vacuum and removing the device, a massage of a few minutes warms the treated area and increases the efficiency of the procedure (boey study-vancouver).

CELLU M6 ALLIANCE® MEDICAL:

YOUR ALLY DEVICE TO MINIMISE SIDE EFFECTS

CELLU M6 ALLIANCE® MEDICAL device can be used before and after any aesthetic medicine and surgery procedure. This technique helps in reducing potential side effects as oedema, bruises, scom tensions and pain.

ENDERMOLOGIE® ON BLEPHAROPLASTY SIDE EFFECTS OEDEMA REDUCTION (LOCALISED ON THE EYELIDS)



COURTESY
CARLA PULETTI

AFTER
6 LPG® SESSIONS

ENDERMOLOGIE® ON LIPOSUCTION SIDE EFFECTS BRUISES REDUCTION



AFTER
2 LPG® SESSIONS

TESTIMONIALS

"I use endermologie® technique on my patients before surgery to prepare and after to take care of them. For example for a liposuction, I do a couple of sessions before to enhance the circulation and after, I do around 10 to 15 sessions to get better results and limit side-effects. That is what convinced me to get a Cellu M6 Alliance® in my clinic"

Dr Tarek Bayazid, Plastic Surgeon in Dubai

TREATMENT HEADS



TECHNICAL SPECIFICATIONS

Weight	80.5 kg
Dimensions (W x l x h)	61 x 70 x 140 cm
Colour touchscreen	■
3D graphical interface	■
Device connectivity	■
Connected tablet	■



ALLIANCE® 80



ALLIANCE® 50



TR30



ERGOLIFT®

LIFT 10

LIFT 20



**TR15 - MICRO
NOZZLES
AND MICRO-HEADS**

ENDERMOSCAN™ APPLICATION ON TABLET



A REAL PATIENT FOLLOW-UP TOOL:

- Body and face evaluation
- Assessment with pictures
- Customised programme creation
- Sessions follow-up
- Connected to the device

ENDERMOLOGIE® IN MEDICAL AESTHETICS

HOLISTIC APPROACH
ENHANCE & MAINTAIN NATURAL RESULTS
LIMIT SIDE EFFECTS
PATIENT FOLLOW-UP & PREMIUM SERVICE
YEAR-ROUND TREATMENTS

BIBLIOGRAPHY:

1. Skin trophicity improvement by mechanotherapy for lipofilling-based breast reconstruction post-radiation therapy. Razzouk K et al. Breast J. 2019 Oct 28. **2.** Mécano-Stimulation™ of the skin improves sagging score and induces beneficial functional modification of the fibroblasts: clinical, biological, and histological evaluations. Humbert P et al. Clin Interv Aging. 2015 Feb 2;10:387-403. **3.** The effect of mechanical massage on early outcome after total knee arthroplasty: a pilot study. Kim SM et al. J Phys Ther Sci. 2015 Nov;27(11):3413-6. **4.** Benefit of endermologie on indurations and panniculitis/lipoatrophy during relapsing-remitting multiple sclerosis long-term treatment with glatiramer acetate. Márquez-Rebollo C et al. Adv Ther. 2014 Aug;31(8):904-14. **5.** An alternative treatment modality for cellulite: LPG endermologie. Kutlubay Z et al. J Cosmet Laser Ther. 2013 Oct;15(5):266-70. **6.** Contribution of endermologie to improving indurations and panniculitis/lipoatrophy at glatiramer acetate injection site. Rubio Fernández D. et al. Adv Ther. 2012 Mar;29(3):267-75. **7.** Impact of a mechanical massage on gene expression profile and lipid mobilization in female gluteofemoral adipose tissue. Marques MA et al. Obes Facts. 2011;4(2):121-9. **8.** Analysis of postoperative complications for superficial liposuction: a review of 2398 cases. Kim YH et al. Plast Reconstr Surg. 2011 Feb;127(2):863-71. **9.** Endermologie: a treatment for injection-induced lipoatrophy in multiple sclerosis patients treated with sub cutaneous glatiramer acetate. Lebrun C. et al. Clin Neurol Neurosurg. 2011 Nov;113(9):721-4. **10.** Cutaneous Side-effects of Immunomodulators in MS. Lebrun C. et al. Int MS J. 2011 Sep;17(3):88-94. **11.** Treatment of cellulite with LPG endermologie. Güleç AT. et al. Int J Dermatol. 2009 Mar;48(3):265-70. **12.** Use of the microdialysis technique to assess lipolytic responsiveness of femoral adipose tissue after 12 sessions of mechanical massage technique. Monteux C, Lafontan M. J Eur Acad Dermatol Venereol. 2008 Dec;22(12):1465-70. **13.** A randomized, prospective study using the LPG technique in treating radiation-induced skin fibrosis: clinical and profilometric analysis. Bourgeois JF et al. Skin Res Technol. 2008 Feb;14(1):71-6. **14.** Endermologie (with and without compression bandaging)--a new treatment option for secondary arm lymphedema. Moseley AL et al. Lymphology. 2007 Sep;40(3):129-37. **15.** Use of a mechanical massage technique in the treatment of fibromyalgia: a preliminary study. Gordon C. et al. Arch Phys Med Rehabil. 2006 Jan;87(1):145-7. **16.** Mondor's disease: a complication after breast surgery. Lhoest F. et al. Ann Chir Plast Esthet. 2005 Jun;50(3):197-201. **17.** Effectiveness of LPG treatment in morphea. Worret WI, Jessberger B. J Eur Acad Dermatol Venereol. 2004 Sep;18(5):527-30. **18.** Does mechanical massage of the abdominal wall after colectomy reduce postoperative pain and shorten the duration of ileus? Results of a randomized study. Le Blanc-Louvry I. et al. J Gastrointest Surg. 2002 Jan-Feb;6(1):43-9. **19.** Analysis of the effects of deep mechanical massage in the porcine model. ADCOCK D. et al. Plast. Reconstr. Surg. 2001 Jul, 108 (1) ; 233-40 **20.** Endermologie: taking a closer look. Shack RB. Aesthet Surg J. 2001 May;21(3):259-60. **21.** Endermologie after external ultrasound-assisted lipoplasty (EUAL) versus EUAL alone. Latrenta GS, Mick SL. Aesthet Surg J. 2001 Mar;21(2):128-35. **22.** Endermologie: humoral repercussions and estrogen interaction. Benelli L. et al. Aesthetic Plast Surg. 1999 Sep-Oct;23(5):312-5. **23.** Endermologie. Burkhardt BR. Plast Reconstr Surg. 1999 Oct;104(5):1584. **24.** Analysis of the cutaneous and systemic effects of Endermologie in the porcine model. Adcock D. et al. Aesthet Surg J. 1998 Nov-Dec;18(6):414-20. **25.** Endermologie and Endermologie-assisted lipoplasty update. Fodor PB, Watson J. Aesthet Surg J. 1998 Jul-Aug;18(4):302-4. **26.** Noninvasive mechanical body contouring: (Endermologie) a one-year clinical outcome study update. Chang P. et al. Aesthetic Plast Surg. 1998 Mar-Apr;22(2):145-53. **27.** External fatty tissue massage (the "endermologie" and "silhouette" procedures). Plastic Surgery Educational Foundation DATA Committee. Kinney BM. Plast Reconstr Surg. 1997 Dec;100(7):1903-4. **28.** Endermologie (LPG): does it work? Fodor P. Aesthetic Plast Surg. 1997 Mar-Apr;21(2):68. **29.** Noninvasive mechanical body contouring: a preliminary clinical outcome study. Ersek RA et al. Aesthetic Plast Surg. 1997 Mar-Apr;21(2):61-7.

